

PARCC MODEL CONTENT FRAMEWORKS

MATHEMATICS

ALGEBRA II

Version 3.0

November 2012



PARCC MODEL CONTENT FRAMEWORK FOR MATHEMATICS FOR ALGEBRA II

Algebra II Overview

Numerals in parentheses designate individual content standards that are eligible for assessment in whole or in part. Underlined numerals (e.g., 1) indicate standards eligible for assessment on two or more end-of-course assessments. For more information, see Tables 1 and 2. Course emphases are indicated by: ■ Major Content; ■ Supporting Content; ○ Additional Content. Not all CCSSM content standards in a listed domain or cluster are assessed.

The Real Number System (N-RN)

- Extend the properties of exponents to rational exponents (1, 2)

Quantities★ (N-Q)

- Reason quantitatively and use units to solve problems (2)

The Complex Number System (N-CN)

- Perform arithmetic operations with complex numbers (1, 2)
- Use complex numbers in polynomial identities and equations (7)

Seeing Structure in Expressions (A-SSE)

- Interpret the structure of expressions (2)
- Write expressions in equivalent forms to solve problems (3, 4)

Arithmetic with Polynomials and Rational Expressions (A-APR)

- Understand the relationship between zeros and factors of polynomials (2, 3)
- Use polynomial identities to solve problems (4)
- Rewrite rational expressions (6)

Creating Equations★ (A-CED)

- Create equations that describe numbers or relationships (1)

Reasoning with Equations and Inequalities (A-REI)

- Understand solving equations as a process of reasoning and explain the reasoning (1, 2)
- Solve equations and inequalities in one variable (4)
- Solve systems of equations (6, 7)
- Represent and solve equations and inequalities graphically (11)

Mathematical Practices

1. Make sense of problems and persevere in solving them.
2. Reason abstractly and quantitatively.
3. Construct viable arguments and critique the reasoning of others.
4. Model with mathematics.
5. Use appropriate tools strategically.
6. Attend to precision.
7. Look for and make use of structure.
8. Look for and express regularity in repeated reasoning.

Interpreting Functions (F-IF)

- Understand the concept of a function and use function notation (3)
- Interpret functions that arise in applications in terms of the context (4, 6)
- Analyze functions using different representations (7, 8, 9)

Building Functions (F-BF)

- Build a function that models a relationship between two quantities (1, 2)
- Build new functions from existing functions (3, 4a)

Linear, Quadratic, and Exponential Models★ (F-LE)

- Construct and compare linear, quadratic, and exponential models and solve problems (2, 4)
- Interpret expressions for functions in terms of the situation they model (5)

Trigonometric Functions (F-TF)

- Extend the domain of trigonometric functions using the unit circle (1, 2)
- Model periodic phenomena with trigonometric functions (5)
- Prove and apply trigonometric identities (8)

Expressing Geometric Properties with Equations (G-GPE)

- Translate between the geometric description and the equation for a conic section (2)

Interpreting categorical and quantitative data (S-ID)

- Summarize, represent, and interpret data on a single count or measurement variable (4)
- Summarize, represent, and interpret data on two categorical and quantitative variables (6)

Making Inferences and Justifying Conclusions (S-IC)

- Understand and evaluate random processes underlying statistical experiments (1, 2)
- Make inferences and justify conclusions from sample surveys, experiments and observational studies (3, 4, 5, 6)

Conditional Probability and the Rules of Probability (S-CP)

- Understand independence and conditional probability and use them to interpret data (1, 2, 3, 4, 5)
- Use the rules of probability to compute probabilities of compound events in a uniform probability model (6, 7)

Examples of Key Advances from Previous Grades or Courses

- In Algebra I, students added, subtracted, and multiplied polynomials. In Algebra II, students divide polynomials with remainder, leading to the factor and remainder theorems. This is the underpinning for much of advanced algebra, including the algebra of rational expressions.
- Themes from middle school algebra continue and deepen during high school. As early as grade 6, students began thinking about solving equations as a process of reasoning (6.EE.5). This perspective continues throughout Algebra I and Algebra II (A-REI).¹ “Reasoned solving” plays a role in Algebra II because the equations students encounter can have extraneous solutions (A-REI.2).
- In Algebra II, they extend the real numbers to complex numbers, and one effect is that they now have a complete theory of quadratic equations: Every quadratic equation with complex coefficients has (counting multiplicities) two roots in the complex numbers.
- In grade 8, students learned the Pythagorean theorem and used it to determine distances in a coordinate system (8.G.6–8). In Geometry, students proved theorems using coordinates (G-GPE.4–7). In Algebra II, students will build on their understanding of distance in coordinate systems and draw on their growing command of algebra to connect equations and graphs of conic sections (e.g., G-GPE.1).
- In Geometry, students began trigonometry through a study of right triangles. In Algebra II, they extend the three basic functions to the entire unit circle.
- As students acquire mathematical tools from their study of algebra and functions, they apply these tools in statistical contexts (e.g., S-ID.6). In a modeling context, they might informally fit an exponential function to a set of data, graphing the data and the model function on the same coordinate axes.

Discussion of Mathematical Practices in Relation to Course Content

While all of the mathematical practice standards are important in all three courses, four are especially important in the Algebra II course:

- **Construct viable arguments and critique the reasoning of others (MP.3).** As in geometry, there are central questions in advanced algebra that cannot be answered definitively by checking evidence. There are important results about *all* functions of a certain type — the factor theorem for polynomial functions, for example — and these require general arguments (A-APR.2). Deciding whether two functions are equal on an infinite set cannot be settled by looking at tables or graphs; it requires arguments of a different sort (F-IF.8).
- **Attend to precision (MP.6).** As in the previous two courses, the habit of using precise language is not only a tool for effective communication but also a means for coming to understanding. For example, when investigating loan payments, if students can articulate something like, “What you owe at the end of a month is what you owed at the start of the month, plus $\frac{1}{12}$ of the yearly interest on that amount, minus the monthly payment,” they are well along a path that

¹ See, for example, “Reasoned Solving,” in *Focus in High School Mathematics: Reasoning and Sense Making* (National Council of Teachers of Mathematics, 2009).

will let them construct a recursively defined function for calculating loan payments (A-SSE.4).

- **Look for and make use of structure (MP.7).** The structure theme in Algebra I centered on seeing and using the structure of algebraic expressions. This continues in Algebra II, where students delve deeper into transforming expressions in ways that reveal meaning. The example given in the standards — that $x^4 - y^4$ can be seen as the difference of squares — is typical of this practice. This habit of seeing subexpressions as single entities will serve students well in areas such as trigonometry, where, for example, the factorization of $x^4 - y^4$ described above can be used to show that the functions $\cos^4 x - \sin^4 x$ and $\cos^2 x - \sin^2 x$ are, in fact, equal (A-SSE.2).

In addition, the standards call for attention to the structural similarities between polynomials and integers (A-APR.1). The study of these similarities can be deepened in Algebra II: Like integers, polynomials have a division algorithm, and division of polynomials can be used to understand the factor theorem, transform rational expressions, help solve equations, and factor polynomials.

- **Look for and express regularity in repeated reasoning (MP.8).** Algebra II is where students can do a more complete analysis of sequences (F-IF.3), especially arithmetic and geometric sequences, and their associated series. Developing recursive formulas for sequences is facilitated by the practice of abstracting regularity for how you get from one term to the next and then giving a precise description of this process in algebraic symbols (F-BF.2). Technology can be a useful tool here: Most Computer Algebra Systems allow one to model recursive function definitions in notation that is close to standard mathematical notation. And spreadsheets make natural the process of taking successive differences and running totals (MP.5).

The same thinking — finding and articulating the rhythm in calculations — can help students analyze mortgage payments, and the ability to get a closed form for a geometric series lets them make a complete analysis of this topic. This practice is also a tool for using difference tables to find simple functions that agree with a set of data.

Algebra II is a course in which students can learn some technical methods for performing algebraic calculations and transformations, but sense-making is still paramount (MP.1). For example, analyzing Heron’s formula from geometry lets one connect the zeros of the expression to the degenerate triangles. As in Algebra I, the modeling practice is ubiquitous in Algebra II, enhanced by the inclusion of exponential and logarithmic functions as modeling tools (MP.4). Computer algebra systems provide students with a tool for modeling all kinds of phenomena, experimenting with algebraic objects (e.g., sequences of polynomials), and reducing the computational overhead needed to investigate many classical and useful areas of algebra (MP.5).

Fluency Recommendations

- A-APR.6** This standard sets an expectation that students will divide polynomials with remainder by inspection in simple cases. For example, one can view the rational expression $\frac{x+4}{x+3}$ as

$$\frac{x+4}{x+3} = \frac{(x+3)+1}{x+3} = 1 + \frac{1}{x+3}.$$

- A-SSE.2** The ability to see structure in expressions and to use this structure to rewrite expressions

is a key skill in everything from advanced factoring (e.g., grouping) to summing series to the rewriting of rational expressions to examine the end behavior of the corresponding rational function.

- F-IF.3** Fluency in translating between recursive definitions and closed forms is helpful when dealing with many problems involving sequences and series, with applications ranging from fitting functions to tables to problems in finance.

Pathway Summary Table: AI – G – All Pathway

Table 1. This table summarizes what will be assessed on PARCC end-of-course assessments. A dot indicates that the standard is assessed in the indicated course. Shaded standards are addressed in more than one course. Algebra I and II are adjacent so as to make the shading continuous, despite being generally taught a year apart.

| | CCSSM Standard | A I | A II | G | |
|-------------------|----------------|----------|------|---|--|
| Number & Quantity | N-RN.1 | | ▪ | | |
| | N-RN.2 | | ▪ | | |
| | N-RN.3 | ▪ | | | |
| | N-Q.1 | ▪ | | | |
| | N-Q.2 | ▪ | ▪ | | |
| | N-Q.3 | ▪ | | | |
| | N-CN.1 | | ▪ | | |
| | N-CN.2 | | ▪ | | |
| | N-CN.7 | | ▪ | | |
| | Algebra | A-SSE.1 | ▪ | | |
| | | A-SSE.2 | ▪ | ▪ | |
| | | A-SSE.3a | ▪ | | |
| A-SSE.3b | | ▪ | | | |
| A-SSE.3c | | ▪ | ▪ | | |
| A-SSE.4 | | | ▪ | | |
| A-APR.1 | | ▪ | | | |
| A-APR.2 | | | ▪ | | |
| A-APR.3 | | ▪ | ▪ | | |
| A-APR.4 | | | ▪ | | |
| A-APR.6 | | | ▪ | | |
| A-CED.1 | | ▪ | ▪ | | |
| A-CED.2 | | ▪ | | | |
| A-CED.3 | | ▪ | | | |
| A-CED.4 | | ▪ | | | |
| A-REI.1 | | ▪ | ▪ | | |
| A-REI.2 | | | ▪ | | |
| A-REI.3 | | ▪ | | | |
| A-REI.4a | | ▪ | | | |
| A-REI.4b | | ▪ | ▪ | | |
| A-REI.5 | | ▪ | | | |
| A-REI.6 | | ▪ | ▪ | | |
| A-REI.7 | | | ▪ | | |
| A-REI.10 | | ▪ | | | |
| A-REI.11 | ▪ | ▪ | | | |
| A-REI.12 | ▪ | | | | |
| Functions | F-IF.1 | ▪ | | | |
| | F-IF.2 | ▪ | | | |
| | F-IF.3 | ▪ | ▪ | | |
| | F-IF.4 | ▪ | ▪ | | |
| | F-IF.5 | ▪ | | | |
| | F-IF.6 | ▪ | ▪ | | |
| | F-IF.7a | ▪ | | | |
| | F-IF.7b | ▪ | | | |
| | F-IF.7c | | ▪ | | |
| | F-IF.7e | | ▪ | | |
| | F-IF.8a | ▪ | | | |
| | F-IF.8b | | ▪ | | |
| | F-IF.9 | ▪ | ▪ | | |
| | F-BF.1a | ▪ | ▪ | | |
| | F-BF.1b | | ▪ | | |
| | F-BF.2 | | ▪ | | |
| | F-BF.3 | ▪ | ▪ | | |
| | F-BF.4a | | ▪ | | |
| | F-LE.1 | ▪ | | | |
| | F-LE.2 | ▪ | ▪ | | |
| | F-LE.3 | ▪ | | | |
| | F-LE.4 | | ▪ | | |
| | F-LE.5 | ▪ | ▪ | | |
| | F-TF.1 | | ▪ | | |
| F-TF.2 | | ▪ | | | |
| F-TF.5 | | ▪ | | | |
| F-TF.8 | | ▪ | | | |
| Geometry | G-CO.1 | | | ▪ | |
| | G-CO.2 | | | ▪ | |
| | G-CO.3 | | | ▪ | |
| | G-CO.4 | | | ▪ | |
| | G-CO.5 | | | ▪ | |
| | G-CO.6 | | | ▪ | |
| | G-CO.7 | | | ▪ | |
| | G-CO.8 | | | ▪ | |
| | G-CO.9 | | | ▪ | |
| | G-CO.10 | | | ▪ | |
| | G-CO.11 | | | ▪ | |
| | G-CO.12 | | | ▪ | |
| | G-CO.13 | | | ▪ | |
| | G-SRT.1 | | | ▪ | |
| | G-SRT.2 | | | ▪ | |
| | G-SRT.3 | | | ▪ | |
| | G-SRT.4 | | | ▪ | |
| | G-SRT.5 | | | ▪ | |
| | G-SRT.6 | | | ▪ | |
| | G-SRT.7 | | | ▪ | |
| | G-SRT.8 | | | ▪ | |
| | G-C.1 | | | ▪ | |
| | G-C.2 | | | ▪ | |
| | G-C.3 | | | ▪ | |
| | G-C.5 | | | ▪ | |
| | G-GPE.1 | | | ▪ | |
| | G-GPE.2 | | ▪ | | |
| | G-GPE.4 | | | ▪ | |
| | G-GPE.5 | | | ▪ | |
| | G-GPE.6 | | | ▪ | |
| | G-GPE.7 | | | ▪ | |
| | G-GMD.1 | | | ▪ | |
| | G-GMD.3 | | | ▪ | |
| G-GMD.4 | | | ▪ | | |
| G-MG.1 | | | ▪ | | |
| G-MG.2 | | | ▪ | | |
| G-MG.3 | | | ▪ | | |
| Statistics | S-ID.1 | ▪ | | | |
| | S-ID.2 | ▪ | | | |
| | S-ID.3 | ▪ | | | |
| | S-ID.4 | | ▪ | | |
| | S-ID.5 | ▪ | | | |
| | S-ID.6a | ▪ | ▪ | | |
| | S-ID.6b | ▪ | | | |
| | S-ID.6c | ▪ | | | |
| | S-ID.7 | ▪ | | | |
| | S-ID.8 | ▪ | | | |
| | S-ID.9 | ▪ | | | |
| | S-IC.1 | | ▪ | | |
| | S-IC.2 | | ▪ | | |
| | S-IC.3 | | ▪ | | |
| | S-IC.4 | | ▪ | | |
| | S-IC.5 | | ▪ | | |
| | S-IC.6 | | ▪ | | |
| | S-CP.1 | | ▪ | | |
| | S-CP.2 | | ▪ | | |
| | S-CP.3 | | ▪ | | |
| | S-CP.4 | | ▪ | | |
| S-CP.5 | | ▪ | | | |
| S-CP.6 | | ▪ | | | |
| S-CP.7 | | ▪ | | | |

Assessment Limits for Standards Assessed on More Than One End-of-Course Test: AI-G-AII Pathway

Table 2. This draft table shows assessment limits for standards assessed on more than one end-of-course test. (These “cross-cutting” standards are visible as shaded cells in Table 1.)

| CCSSM Cluster | CCSSM Key | CCSSM Standard | Algebra I Assessment Limits and Clarifications | Algebra II Assessment Limits and Clarifications |
|---|-----------|---|---|---|
| Reason quantitatively and use units to solve problems | N-Q.2 | Define appropriate quantities for the purpose of descriptive modeling. | This standard will be assessed in Algebra I by ensuring that some modeling tasks (involving Algebra I content or securely held content from grades 6-8) require the student to create a quantity of interest in the situation being described (i.e., a quantity of interest is not selected for the student by the task). For example, in a situation involving data, the student might autonomously decide that a measure of center is a key variable in a situation, and then choose to work with the mean. | This standard will be assessed in Algebra II by ensuring that some modeling tasks (involving Algebra II content or securely held content from previous grades and courses) require the student to create a quantity of interest in the situation being described (i.e., this is not provided in the task). For example, in a situation involving periodic phenomena, the student might autonomously decide that amplitude is a key variable in a situation, and then choose to work with peak amplitude. |
| Interpret the structure of expressions | A-SSE.2 | Use the structure of an expression to identify ways to rewrite it. <i>For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$.</i> | <p>i) Tasks are limited to numerical expressions and polynomial expressions in one variable.</p> <p>ii) Examples: Recognize $53^2 - 47^2$ as a difference of squares and see an opportunity to rewrite it in the easier-to-evaluate form $(53+47)(53-47)$. See an opportunity to rewrite $a^2 + 9a + 14$ as $(a+7)(a+2)$.</p> | <p>i) Tasks are limited to polynomial, rational, or exponential expressions.</p> <p>ii) Examples: see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$. In the equation $x^2 + 2x + 1 + y^2 = 9$, see an opportunity to rewrite the first three terms as $(x+1)^2$, thus recognizing the equation of a circle with radius 3 and center $(-1, 0)$. See $(x^2 + 4)/(x^2 + 3)$ as $((x^2+3) + 1)/(x^2+3)$, thus recognizing an opportunity to write it as $1 + 1/(x^2 + 3)$.</p> |
| Write expressions in equivalent forms to solve problems | A-SSE.3c | Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression. ⁶² (c) Use the properties of exponents to transform expressions for exponential functions. <i>For example the expression 1.15^t can be rewritten as $(1.15^{1/12})^{12t} \approx 1.012^{12t}$ to reveal the approximate equivalent monthly interest rate if the annual rate is 15%.</i> | <p>i) Tasks have a real-world context. As described in the standard, there is an interplay between the mathematical structure of the expression and the structure of the situation such that choosing and producing an equivalent form of the expression reveals something about the situation.</p> <p>ii) Tasks are limited to exponential expressions with integer exponents.</p> | <p>i) Tasks have a real-world context. As described in the standard, there is an interplay between the mathematical structure of the expression and the structure of the situation such that choosing and producing an equivalent form of the expression reveals something about the situation.</p> <p>ii) Tasks are limited to exponential expressions with rational or real exponents.</p> |
| Understand the relationship between zeros and factors of polynomials | A-APR.3 | Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial. | i) Tasks are limited to quadratic and cubic polynomials in which linear and quadratic factors are available. For example, find the zeros of $(x - 2)(x^2 - 9)$. | i) Tasks include quadratic, cubic, and quartic polynomials and polynomials for which factors are not provided. For example, find the zeros of $(x^2 - 1)(x^2 + 1)$ |

| CCSSM Cluster | CCSSM Key | CCSSM Standard | Algebra I Assessment Limits and Clarifications | Algebra II Assessment Limits and Clarifications |
|---|-----------|--|---|---|
| Create equations that describe numbers or relationships | A-CED.1 | Create equations and inequalities in one variable and use them to solve problems. <i>Include equations arising from linear and quadratic functions, and simple rational and exponential functions.</i> | i) Tasks are limited to linear, quadratic, or exponential equations with integer exponents. | i) Tasks are limited to exponential equations with rational or real exponents and rational functions. ii) Tasks have a real-world context. |
| Understand solving equations as a process of reasoning and explain the reasoning | A-REI.1 | Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method. | i) Tasks are limited to quadratic equations. | i) Tasks are limited to simple rational or radical equations. |
| Solve equations and inequalities in one variable | A-REI.4b | Solve quadratic equations in one variable. b) Solve quadratic equations by inspection (e.g., for $x^2 = 49$), taking square roots, completing the square, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as $a \pm bi$ for real numbers a and b . | i) Tasks do not require students to write solutions for quadratic equations that have roots with nonzero imaginary parts. However, tasks can require the student to recognize cases in which a quadratic equation has no real solutions. <i>Note, solving a quadratic equation by factoring relies on the connection between zeros and factors of polynomials (cluster A-APR.B). Cluster A-APR.B is formally assessed in A2.</i> | i) In the case of equations that have roots with nonzero imaginary parts, students write the solutions as $a \pm bi$ for real numbers a and b . |
| Solve systems of equations | A-REI.6 | Solve systems of linear equations exactly and approximately (e.g., with graphs), focusing on pairs of linear equations in two variables. | i) Tasks have a real-world context. ii) Tasks have hallmarks of modeling as a mathematical practice (less defined tasks, more of the modeling cycle, etc.). | i) Tasks are limited to 3x3 systems. |
| Represent and solve equations and inequalities graphically | A-REI.11 | Explain why the x -coordinates of the points where the graphs of the equations $y=f(x)$ and $y=g(x)$ intersect are the solutions of the equation $f(x)=g(x)$; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where $f(x)$ and/or $g(x)$ are linear, polynomial, rational, absolute value, exponential, and logarithmic functions. * | i) Tasks that assess conceptual understanding of the indicated concept may involve any of the function types mentioned in the standard except exponential and logarithmic functions. ii) Finding the solutions approximately is limited to cases where $f(x)$ and $g(x)$ are polynomial functions. | i) Tasks may involve any of the function types mentioned in the standard. |
| Understand the concept of a function and use function notation | F-IF.3 | Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. <i>For example, the Fibonacci sequence is defined recursively by $f(0) = f(1) = 1$, $f(n+1) = f(n) + f(n-1)$ for $n \geq 1$.</i> | i) This standard is part of the Major work in Algebra I and will be assessed accordingly. | i) This standard is Supporting work in Algebra II. This standard should support the Major work in F-BF.2 for coherence. |

| CCSSM Cluster | CCSSM Key | CCSSM Standard | Algebra I Assessment Limits and Clarifications | Algebra II Assessment Limits and Clarifications |
|---|-----------|---|---|---|
| Interpret functions that arise in applications in terms of a context | F-IF.4 | For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. <i>Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.</i> * | <p>i) Tasks have a real-world context.</p> <p>ii) Tasks are limited to linear functions, quadratic functions, square root functions, cube root functions, piecewise-defined functions (including step functions and absolute value functions), and exponential functions with domains in the integers.</p> <p><i>Compare note (ii) with standard F-IF.7.</i></p> <p><i>The function types listed here are the same as those listed in the Algebra I column for standards F-IF.6 and F-IF.9.</i></p> | <p>i) Tasks have a real-world context</p> <p>ii) Tasks may involve polynomial, exponential, logarithmic, and trigonometric functions.</p> <p><i>Compare note (ii) with standard F-IF.7.</i></p> <p><i>The function types listed here are the same as those listed in the Algebra II column for standards F-IF.6 and F-IF.9.</i></p> |
| Interpret functions that arise in applications in terms of a context | F-IF.6 | Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. * | <p>i) Tasks have a real-world context.</p> <p>ii) Tasks are limited to linear functions, quadratic functions, square root functions, cube root functions, piecewise-defined functions (including step functions and absolute value functions), and exponential functions with domains in the integers.</p> <p><i>The function types listed here are the same as those listed in the Algebra I column for standards F-IF.4 and F-IF.9.</i></p> | <p>i) Tasks have a real-world context.</p> <p>ii) Tasks may involve polynomial, exponential, logarithmic, and trigonometric functions.</p> <p><i>The function types listed here are the same as those listed in the Algebra II column for standards F-IF.4 and F-IF.9.</i></p> |
| Analyze functions using different representations | F-IF.9 | Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions.) <i>For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum.</i> | <p>i) Tasks are limited to linear functions, quadratic functions, square root functions, cube root functions, piecewise-defined functions (including step functions and absolute value functions), and exponential functions with domains in the integers.</p> <p><i>The function types listed here are the same as those listed in the Algebra I column for standards F-IF.4 and F-IF.6.</i></p> | <p>i) Tasks may involve polynomial, exponential, logarithmic, and trigonometric functions.</p> <p><i>The function types listed here are the same as those listed in the Algebra II column for standards F-IF.4 and F-IF.6.</i></p> |
| Build a function that models a relationship between two quantities | F-BF.1a | Write a function that describes a relationship between two quantities.* a) Determine an explicit expression, a recursive process, or steps for calculation from a context. | <p>i) Tasks have a real-world context.</p> <p>ii) Tasks are limited to linear functions, quadratic functions, and exponential functions with domains in the integers.</p> | <p>i) Tasks have a real-world context</p> <p>ii) Tasks may involve linear functions, quadratic functions, and exponential functions.</p> |
| Build new functions from | F-BF.3 | Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, $k f(x)$, $f(kx)$, and $f(x+k)$ for specific values of k (both positive and negative); find the value of | <p>i) Identifying the effect on the graph of replacing $f(x)$ by $f(x) + k$, $k f(x)$, $f(kx)$, and $f(x+k)$ for specific values of k (both positive and negative) is limited</p> | <p>i) Tasks may involve polynomial, exponential, logarithmic, and trigonometric functions</p> <p>ii) Tasks may involve recognizing even and odd</p> |

| CCSSM Cluster | CCSSM Key | CCSSM Standard | Algebra I Assessment Limits and Clarifications | Algebra II Assessment Limits and Clarifications |
|--|-----------|--|---|---|
| existing functions | | k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. <i>Include recognizing even and odd functions from their graphs and algebraic expressions for them.</i> | <p>to linear and quadratic functions.</p> <p>ii) Experimenting with cases and illustrating an explanation of the effects on the graph using technology is limited to linear functions, quadratic functions, square root functions, cube root functions, piecewise-defined functions (including step functions and absolute value functions), and exponential functions with domains in the integers.</p> <p>iii) Tasks do not involve recognizing even and odd functions.</p> <p><i>The function types listed in note (ii) are the same as those listed in the Algebra I column for standards F-IF.4, F-IF.6, and F-IF.9.</i></p> | <p>functions.</p> <p><i>The function types listed in note (i) are the same as those listed in the Algebra II column for standards F-IF.4, F-IF.6, and F-IF.9.</i></p> |
| Construct and compare linear, quadratic, and exponential models and solve problems | F-LE.2 | Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two input-output pairs (include reading these from a table). | i) Tasks are limited to constructing linear and exponential functions in simple context (not multi-step). | i) Tasks will include solving multi-step problems by constructing linear and exponential functions. |
| Interpret expressions for functions in terms of the situation they model | F-LE.5 | Interpret the parameters in a linear or exponential function in terms of a context. | <p>i) Tasks have a real-world context.</p> <p>ii) Exponential functions are limited to those with domains in the integers.</p> | <p>i) Tasks have a real-world context.</p> <p>ii) Tasks are limited to exponential functions with domains not in the integers.</p> |
| Summarize, represent, and interpret data on two categorical and quantitative variables | S-ID.6a | <p>Represent data on two quantitative variables on a scatter plot, and describe how the variables are related.</p> <p>a) Fit a function to the data; use functions fitted to data to solve problems in the context of the data. <i>Use given functions or choose a function suggested by the context. Emphasize linear, quadratic, and exponential models.</i></p> | <p>i) Tasks have a real-world context.</p> <p>ii) Exponential functions are limited to those with domains in the integers.</p> | <p>i) Tasks have a real-world context.</p> <p>ii) Tasks are limited to exponential functions with domains not in the integers and trigonometric functions.</p> |