



**ALBUQUERQUE  
PUBLIC SCHOOLS**

**PRICE AGREEMENT NO. 14393  
AMENDMENT NO. 1**

**ALBUQUERQUE PUBLIC SCHOOLS - PROCUREMENT DIVISION  
PO BOX 25704  
ALBUQUERQUE, NEW MEXICO 87125  
PHONE (505) 881-8415  
FAX (505) 830-1161**

V  
E  
N  
D  
O  
R

Safety Flare Inc.  
2803 Richmond NE  
Albuquerque, NM 87107

SHIP TO

M & O Warehouse  
919 Locust Street NE  
Albuquerque, NM 87106

ATTENTION  
OF

John Dufay, Ron Gallegos

DATE	VENDOR CODE
7/19/2016	12263

The Procurement Code, Sections 13-1-26 through 13-1-199 NMSA 1978, imposes civil and criminal penalties for its violation. In addition, the New Mexico Criminal statutes impose felony penalties for illegal bribes, gratuities and kickbacks.

**PLEASE SHOW PRICE AGREEMENT NUMBER ON ALL INVOICES, SHIPPING PAPERS, PACKAGES, CORRESPONDENCE, ETC. INVOICE IN DUPLICATE.**

**ITEMS, TERMS, & CONDITIONS**

**PRICE AGREEMENT**

Fire Extinguishers & Related Materials on Demand for APS

Contract Term: August 18, 2015- August 17, 2018

Per terms and conditions of: 15-065SC-AM

Board Approved:  
Pricing Attached

**SERVICES AND/OR GOODS TO BE PROVIDED:** The Contractor shall provide the good(s) and/or service(s), as defined in this agreement, on an "as ordered" basis. This is not an order and no funds are obligated under this Pricing Agreement. Funds are obligated by approved purchase orders on an "as needed" basis. Contractor shall receive separate individual Purchase Orders for each individual requests.

**MINIMUM AMOUNT:** Albuquerque Public Schools does not guarantee a minimum amount of purchases in conjunction with this pricing agreement.

**QUOTES AND PAYMENT:** The Contractor shall include the APS Pricing Agreement Number on each quote and reflect the price as awarded. If a quote is based on a percentage discount, the quote should document the list price, discount percent, and final price. The invoice submitted for payment shall match the quote and shall note the purchase order number.

**PRICING ESCALATION:** Price escalation will be considered only at yearly observance of award and only upon receipt of written request from contractor stating reason for escalation and the amount being requested. Justifying documentation must accompany price escalation request.

**Amendments:** This Pricing Agreement shall not be altered, changed, or amended except by written agreement signed by both parties.

**Reason for Amendment:** Renewal of Price Agreement

Contact: Jeff Rich

Phone: 505-884-2274

Email: jeff@safetyflare.net

PROCUREMENT DIVISION AUTHORIZED SIGNATURE

*[Signature]*  
Date: 7/27/16

VENDOR AUTHORIZED SIGNATURE

*[Signature]*  
Date: 7-27-16

## ALBUQUERQUE PUBLIC SCHOOLS (APS) GENERAL TERMS AND CONDITIONS

- 1. INSPECTION.** The materials, supplies or services furnished shall be exactly as specified in this order, free from defects in Seller's design, workmanship and materials, and, except as otherwise provided in this order, shall be subject to inspection and test by APS at all times and places. If, prior to final acceptance, any materials, supplies or services are found to be defective or not as specified, APS may reject them, require Seller to correct them without charge, or require delivery of such materials, supplies, or services at a reduction in price which is equitable under the circumstances. If Seller is unable or refuses to correct such defects within a time deemed reasonable by APS, APS may terminate the order in whole or in part. Seller shall bear all risks as to rejected materials, supplies and services and, in addition to any other costs for which Seller may become liable to APS under other provisions of this order, shall reimburse APS for all transportation costs, other related costs incurred, or payments to Seller in accordance with the terms of this order for unaccepted materials, supplies and services. Notwithstanding final acceptance and payment, Seller shall be liable for latent defects, fraud or such gross mistakes as amount to fraud. Any test programs and procedures required by the specifications are in addition to, and do not limit, APS's rights provided in this Paragraph.
- 2. WARRANTIES.** Seller warrants the materials, supplies or services furnished to be exactly as specified in this order, free from defects in Seller's design, labor, materials and manufacture, and to be in compliance with any drawings or specifications incorporated herein and with any samples furnished by Seller. All applicable UCC warranties, express or implied are incorporated herein.
- 3. ASSIGNMENT.** Neither the order nor any interest therein, nor claim thereunder shall be assigned or transferred by the Seller except as authorized in writing by APS. No assignment or transfer shall relieve the Seller from its obligations and liabilities.
- 4. CHANGES.** APS may make changes within the general scope of this order by giving notice to Seller and subsequently confirming such changes in writing. If such changes affect the cost of, or the time required for performance of this order, an appropriate equitable adjustment shall be made. No change by Seller shall be recognized without written approval of APS. Any claim of Seller for an adjustment under this Paragraph must be made in writing within thirty (30) days from the date of receipt by Seller of notification of such change unless APS waives this condition. Nothing in this Paragraph shall excuse Seller from proceeding with performance of the order as changed hereunder.
- 5. LABOR DISPUTES.** Seller shall give prompt notice to APS of any actual or potential labor dispute which delays or may delay timely performance of this order.
- 6. TERMINATION AND DELAYS.** APS may by written notice stating the extent and effective date, terminate this order for convenience in whole or in part, at any time. APS shall pay Seller as full compensation for performance until such termination: (1) the unit or pro rata order price for the delivered and accepted portion; and (2) a reasonable amount, not otherwise recoverable from other sources by Seller as approved by APS with respect to the undelivered or unaccepted portion of this order; provided compensation hereunder shall in no event exceed the total order price. Such amount will be limited to the Seller's actual cost and shall not include anticipated profits.

APS may by written notice terminate this order for Seller's default, in whole or in part, at any time, if Seller refuses or fails to comply with the provisions of this order, or so fails to make progress as to endanger performance and does not cure such failure within a reasonable period of time, or fails to make deliveries of the items or services or to perform the services within the time specified or any written extension thereof. In such event, APS may purchase or otherwise secure items or services and, except as otherwise provided herein, Seller shall be liable to APS for any excess costs occasioned APS thereby, including incidental and consequential damages.

If, after notice of termination for default, APS determines that the Seller was not in default or that the failure to perform this order is due to causes beyond the control and without the fault or negligence of Seller (including, but not restricted to, acts of God or of the public enemy, acts of APS, acts of Government, fires, floods, epidemics, quarantine restrictions, strikes, freight embargoes, unusually severe weather, and delays of a subcontractor or supplier due to such causes and without the fault or negligence of the subcontractor or supplier), termination shall be deemed for the convenience of APS, unless it shall be determined that the items or services covered by this order were obtainable from other sources in sufficient time to meet the required delivery schedule.

If APS determines that Seller has been delayed in the work due to causes beyond the control and without the fault and negligence of the Seller, APS may extend the time for completion of the work called for by this order, when promptly applied for in writing by the Seller; and if such delay is due to failure of APS, not caused or contributed by Seller, to perform services or deliver property in accordance with the terms of the order, the time and price of the order shall be subject to change under the Changes Paragraph. Sole remedy of Seller in event of delay by failure of APS to perform shall, however, be limited to any money actually and necessarily expended in the work during the period of delay, solely by reason of delay. No allowance will be made for anticipated profits.

The rights and remedies of APS provided in this Paragraph shall not be exclusive and are in addition to any other rights and remedies provided by law or under this order. As used in this Paragraph, the word "Seller" includes Seller and its sub suppliers at any tier.
- 7. AFFIRMATIVE ACTION.** Seller shall not maintain or provide racially segregated facilities for employees at any establishment under his control. Seller agrees to adhere to the principle set forth in Executive Order 11246 and 11375, and to undertake specifically to maintain employment policies and practices that affirmatively promote equality of opportunity for minority group persons and women; to take affirmative steps to hire and promote women and minority group persons at all job levels and in all aspects of employment; to communicate this policy effectively to all persons concerned within Seller's company, with outside recruiting services and the minority community at large; to provide APS on request a breakdown of its labor force by ethnic group, sex, and job category; and to discuss with APS its policies and practices relating to its affirmative action program.
- 8. INDEMNIFICATION AND INSURANCE.** Seller assumes the entire responsibility and liability for losses, expenses, damages, demands and claims in connection with or arising out of any actual or alleged personal injury (including death) and/or damage or destruction to property sustained or alleged to have been sustained in connection with or arising out of the performances of the work by Seller, its agents, employees, subcontractors or consultants, except to the extent of liability arising out of the negligent performance of the work by or willful misconduct of APS. Seller shall indemnify and hold harmless APS, its officers, agents, and employees from any and all liability for such losses, expenses, damages, demands, and claims and shall defend any suit or action brought against any or all of them based on any actual or alleged personal injury or damage and shall pay any damage costs and expenses including attorneys' fees, in connection with or resulting from such suit or action. Seller agrees that it and its subcontractors will maintain public liability and property damage insurance in reasonable amounts covering the above obligation and will maintain workers' compensation coverage covering all employees performing this order on premises occupied by or under the control of APS.
- 9. PATENT AND COPYRIGHT INDEMNITY.** Seller shall pay all royalty and license fees relating to deliverables and other items covered hereby. In the event any third party shall claim that the reproduction, manufacture, use or sale of goods or items covered hereby infringes any copyright, trademark, patent, or other intellectual property rights, Seller shall indemnify and hold APS harmless from any cost, expense, damage, or loss resulting therefrom.
- 10. DISCOUNTS.** APS will take advantage of prompt payment discounts whenever possible; however these will not be used as a means to determine the low responsive and responsible bidder. Any discount period will not begin until the materials, supplies or services have been received and accepted and a correct invoice submitted for payment. If testing is required, discount period will not begin until such tests are satisfactorily completed.
- 11. CONTINGENCY FEES.** Seller warrants that no person or selling agency has been employed or retained to solicit or secure this order upon an agreement or understanding for a commission, percentage, brokerage or contingent fee excepting bona-fide employees or bona-fide established commercial or selling agencies maintained or utilized by Seller for the purpose of securing business. For violation or breach of this warranty, APS shall have the right to annul this order without liability or, at its discretion, to deduct from this order, price or consideration or otherwise recover the full amount of such commission, percentage, brokerage or contingent fee.
- 12. PENALTIES.** The New Mexico Procurement Code (NMSA 1978) imposes civil and criminal penalties for its violation. In addition, New Mexico criminal statutes impose penalties for bribes, gratuities and kickbacks.
- 13. TITLE AND DELIVERY.** Title to the materials and supplies passed hereunder shall pass to APS at the F.O.B. point specified subject to the right of APS to reject upon inspection. For any exception to the delivery date specified, Seller shall give prior notification and obtain approval thereto from APS's Purchasing Department. Order is subject to termination for failure to make timely delivery.
- 14. TAX STATUS.** APS holds a Class 9 Nontaxable Transaction Certificate and is exempt from payment of tax on the purchase of tangible personal property. This certificate will be issued upon request. It is not valid for the purchase of services including construction, or materials that become part of a construction project or for the lease of property. Seller is responsible for payment of all applicable taxes, which will be added to invoice as a separate item at the current rate.
- 15. APPLICABLE LAWS.** If this order is a subcontract under a U.S. Government Prime Contract, applicable clauses of the Federal Acquisition Regulations are incorporated herein by reference. Any provision required to be included in a contract of this type by any applicable and valid Executive Order, federal, state or local law, ordinance, rule or regulation also shall be deemed to be incorporated herein. Any contract or litigation resulting from acceptance of this purchase order will be construed according to the laws of the State of New Mexico unless otherwise stated.

FIRM NAME: Safety Flare, Inc.

NM PREFERENCE NO. XXXXXXXXXX - 5% preference

*New total  
w/ pref  
20,263.50*


ITEM NO.	STOCK NO.	DESCRIPTION	EST. QTY.	U.M.	BID PRICE	TOTAL AMOUNT
1	11241	Multi-Purpose Dry Chemical Extinguisher 10.0 lb content, to be Amerex 441 or equal. Specifications and technical data required if not bidding as specified.	300	Each	\$71.10	\$21,330.00
					Amerex B441 Manufacturer Brand/Model/4	
2	11235	Multi-Purpose Dry Chemical Charge 50.0 lb pail, to be Amerex 550 or equal Specifications and technical data required if not bidding as specified.	10	Each	\$91.50	\$915.00
					Amerex 550 Manufacturer Brand/Model	
3	11240	Wet Chemical Extinguisher for Kitchen Use 6 liter to be as Amerex B-260 or equal Specifications and technical data required if not bidding as specified.	10	Each	\$162.00	\$1,620.00
					Amerex B260 Manufacturer Brand/Model	

*769.25*

*1539.00*

**INCIDENTAL PURCHASES:** APS may on occasion need to purchase other items not specifically listed. Therefore APS seeks to establish a % (percentage) discount off the manufacturer's/seller's list price for these types of purchases. "Price list" is defined as that which is regularly maintained by the manufacturer or seller. List prices must be standard in the trade and in common use for the vendor's general clientele or comparable government accounts. Price lists(s) will be allowed to change as standard in the trade but the discount will remain firm during the term of the contract. "Cost Plus" pricing is not acceptable on bid per State Procurement Code. Please state your % (percentage) discount from list.

25 %



# SAFETY FLARE

2803 Richmond NE • Albuquerque, NM 87107  
Phone 505.884.2274 • Fax 505.884.0721

## Attachment A

### 4.6 Service/Maintenance of fire extinguishers

In the event that the workload for servicing and maintaining fire extinguishers for all APS facilities becomes too heavy for the current staff to maintain according to NFPA 10 standards, Safety Flare, Inc. would be willing and capable to provide these services. Safety Flare technicians are trained in NFPA 10 standards for portable fire extinguishers and are experienced in working with educational facilities. We currently service all UNM campuses on a monthly basis as required by NFPA 10 standard 7.2.1.2.1 on a monthly basis. Safety Flare technicians also provide services under contract for the City of Albuquerque and have provided service on APS campuses where the City maintains child care facilities, which has given them experience with APS procedures for providing service at APS facilities. Below is a schedule of prices for fire extinguisher related services. All prices are listed as a per extinguisher price. See schedule below for pricing.

Annual Maintenance	\$4.25
10 lb ABC Fire Extinguisher Recharge*	\$12.50
10 lb ABC 6 Year Maintenance	\$17.50
10 lb ABC 12 year Hydrostatic Test**	\$21.50
Clean Agent*** Fire Extinguisher Recharge*	\$50.00
Clean Agent 6 Year Maintenance	\$55.00
Clean Agent Hydrostatic Test	\$65.00

\*Recharge prices do not include chemical that may have been lost when discharged

\*\*Safety Flare has a DOT certification to provide testing for all low pressure fire extinguishers

\*\*\*Clean Agent here refers to Halon, Halotron I, and FE-36 Type Fire Extinguishers

The normal mobile service fee for the Albuquerque area is a flat rate of \$19.95 per round trip.

All replacement parts and other fire extinguisher related items would be discounted 25% off list prices.

In the event that APS would need the assistance of Safety Flare, Inc. to provide monthly inspections as required in NFPA 10 section 7.2.1.2.1 at all facilities, Safety Flare, Inc. would charge \$2.25 per extinguisher to do so. In doing so, Safety Flare would not only assist in lightening the workload but would also reduce the liability of APS as related to portable fire extinguishers.

What is your normal lead time for delivery?

One week

State your policy for returns/exchanges of defective materials:

Full refund or exchange for like item.

Price your bid to include all costs, insurance and freight shipped F.O.B. destination. Delivery address is normally Maintenance Warehouse, 919 Locust SE, Bldg E, Albuquerque, NM 87106 or as advised on purchase order. Please coordinate delivery with Margaret Montano. Telephone (505) 765-5950, ext. 309.

Warranty Information: 6 year limited warranty see attached manufacturer warranty.

Where will warranty service be performed? 2803 Richmond NE

Albuquerque, NM 87107

Who is responsible for packing/transporting materials to service site?

New items will be shipped directly from manufacturer

to APS. Warranty items will be picked up <sup>of</sup> ~~at~~ dropped off.

## INTRODUCTION

Anyone who might be expected to use this extinguisher should study and understand the information in this manual. Please read it completely and keep it accessible so that it may be reviewed on a periodic basis. This manual requires training of personnel who might be expected to use an extinguisher in the case of an emergency. Familiarity with this manual and the instruction nameplate on the extinguisher will contribute to successful use of an extinguisher. You should know just what it is and CANNOT do, where it is located, how to use it and how to maintain it. Proper and effective use of any fire extinguisher begins with an understanding of the classes of fire. Extinguishers are tested and rated for certain sizes and types of fires. Some are rated for single classifications, some for multiple classifications and others constitute a hazard if used on certain types of fires.

## TYPES AND CLASSES OF FIRES

### CLASSES OF FIRES

#### PICTURE SYMBOL

**A**



Wood, paper, cloth, trash and other ordinary materials

**B**



Gasoline, oil, paint and other flammable liquids

**C**



May be used on fires involving live electrical equipment without danger to the operator

**D**



Combustible metals and combustible metal alloys.

**K**



Cooking media (Vegetable or animal oils and fats)

## IMPORTANT THINGS TO REMEMBER!

**NEVER DISCHARGE A FIRE EXTINGUISHER INTO ANYONE'S FACE**

**NEVER THROW AN EXTINGUISHER INTO THE FIRE OR LEAVE IT UNATTENDED IF THE FIRE IS NOT OUT.**

(Pressure build-up could cause an explosion from even a partially full extinguisher)

**KEEP FIRE EXTINGUISHERS AWAY FROM CHILDREN**

## DRY CHEMICAL, DRY POWDER (CLASS D), HALOTRON I, HALON 1211, WET CHEMICAL (CLASS K) AND CARBON DIOXIDE EXTINGUISHERS

These extinguishers are shipped factory charged. Do not test your extinguisher since even a small amount of discharge could cause it to lose pressure making it less effective or useless in case of a fire.

Dry chemicals are non-poisonous but either the acidic based (ABC) or alkaline based (Regular or Purple K) chemicals could be an irritant if inhaled. If any physical discomfort is experienced, contact a physician immediately.

Dry chemical is not recommended for fires in delicate electrical equipment or aircraft. Use of this agent may extinguish the fire but may damage the equipment beyond repair.

Neither Halotron I nor Halon 1211 should be used in confined areas smaller than indicated on the extinguisher nameplate, food preparation areas or in the presence of people with cardiac problems. If problems occur, quickly remove the person from the area where the gas is present, apply artificial respiration and transport to a physician.

Never use ABC dry chemical, Halon 1211 or Halotron I fire extinguishers on fires involving chlorine containing oxidizers (example: pool chemicals). A violent explosive reaction could occur with the mixture of chemicals.

Wet Chemical (Class K) Extinguishers are approved for use for fires involving cooking media. Do not subject these extinguishers to conditions where they might freeze.

Carbon Dioxide is discharged as a gas (with small particles of snow) at extremely low temperatures and will displace oxygen. Care should be exercised in confined areas. If problems occur, quickly remove the person from the area where the gas is present, apply artificial respiration and transport to a physician. Avoid skin contact which could cause cold burns.

NOTE: As required by OSHA, Material Safety Data Sheets (MSDS) are available for all chemicals contained in these fire extinguishers. Contact your Amerex distributor or Amerex Corporation. In addition, the MSDS information is contained in a special section of all extinguisher labels. All MSDS are available on the Amerex website at [www.amerex-fire.com](http://www.amerex-fire.com).

MONTHLY

## INSPECTION RECORD

**FASTEN TO EXTINGUISHER BEFORE INSTALLATION**

**DO NOT REMOVE**

FOLLOW THE INSPECTION INSTRUCTIONS IN OWNER'S MANUAL AND ON THE EXTINGUISHER

Date	Inspected By	Condition

**HAVE YOUR EXTINGUISHER PROFESSIONALLY MAINTAINED AND RECHARGED**

**RECHARGE AFTER ANY USE**

## IMPORTANT NOTICE TO BOAT OWNERS

If the extinguisher is to be mounted in your boat, make sure that the proper mounting bracket is used. The nameplate (in the area of the UL manifest) says if it is Coast Guard approved and the mounting bracket which MUST be used to complete the approval. You will be cited by the Coast Guard if the correct type of extinguisher and bracket has not been installed.



**OWNER'S MANUAL**

for

**HAND PORTABLE  
Water & Water Mist**

**Wet Chemical (Class K)**

**AFFF & FFFP Foam**

**Dry Chemical**


**Dry Powder (Class D)**

**Carbon Dioxide**

**Halotron I**

**Halon 1211**

**FIRE EXTINGUISHERS**



**AMEREX LIMITED WARRANTY**

Amerex warrants its fire extinguishers to be free from defects in material and workmanship from the date of purchase for a period of 6 (six) years for Dry Chemical, 1 (one) year for Halon, and 5 (five) years for Halotron, CO2 and Water/Water Based. During the warranty period, any such defects will be repaired or the defective extinguisher replaced IF THE ORIGINAL GREY TAMPER SEAL IS INTACT AND/OR IF ONLY FACTORY REPLACEMENT PARTS HAVE BEEN USED TO SERVICE THE EXTINGUISHER. This warranty does not cover defects resulting from modification, alteration, misuse, exposure to corrosive conditions, improper installation or maintenance. ALL IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF FITNESS FOR PURPOSE AND MERCHANTABILITY, ARE LIMITED TO THE TIME PERIODS STATED ABOVE. IN NO EVENT SHALL AMEREX CORP. BE LIABLE TO INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. Amerex Corp. neither assumes nor authorizes any representative or other person to assume for it, any obligation or liability other than expressly set forth herein. This warranty gives you specific legal rights and you may have other rights, which vary from state to state. To obtain performance of the obligation of this warranty, write to Amerex Corp., P.O. Box 81, Trussville, AL 35173-0081 for instructions.

**AMEREX CORPORATION**

P.O. BOX 81  
TRUSSVILLE, AL 35173-0081

Phone: (205) 655-3271 Fax: 1-800-654-5980

e-mail: sales@amerex-fire.com

web page: www.amerex-fire.com

Printed in U.S.A. FAX: 005174Z REV 8711


**HOW TO USE**

NOTE: The following instructions are of a general nature, intended to familiarize the user with the basic operating techniques of Amerex hand portable extinguishers. All operate by removing the handles together, pin and squeezing the ring (safety). Since extinguishers differ, the extinguisher nameplate must be consulted for specific procedures and starting distances.

1. Hold the extinguisher upright and pull the ring (safety) pin breaking the plastic seal.
2. Stand back from the fire (the minimum distance stated on the nameplate) and aim at the base of the fire nearest you.
3. Keeping the extinguisher upright, squeeze the handles together to discharge and sweep from side to side. Move closer as the fire is extinguished but not so close as to scatter the burning material or liquid.
4. When the fire is out, back away while watching for possible re-ignition.
5. Evacuate and ventilate the area immediately after use. The fumes and smoke from any fire may be hazardous and can be deadly.

NOTE: Whenever possible, protective clothing and breathing equipment should be used while fighting a fire.

1. HOLD EXTINGUISHER UPRIGHT AND PULL THE RING (SAFETY) PIN
2. STAND BACK FROM THE FIRE AND AIM AT THE BASE OF THE FIRE NEAREST YOU
3. SQUEEZE HANDLES TOGETHER & SWEEP THE EXTINGUISHER STREAM SIDE TO SIDE



**REMEMBER THIS SIMPLE WORD - PASS**

**PULL AIM SQUEEZE SWEEP**

Follow the Mounting Instructions below, particularly in public areas where the extinguisher might be accidentally dislodged from the bracket or have objects placed on it.

**MOUNTING INSTRUCTIONS**

UL specifies that a hanging device must withstand a vertical force of five times the weight of the changed extinguisher but not less than 100 pounds. The extinguisher bracket should be mounted as follows: - ALL Walls where 2"x4" studs can be found - ALL SIZES: Mount wall hanger bracket securely to stud using two #10 x 1 1/2" long wood screws through the diagonal smaller holes in the bracket. Sheetrock - ALL SIZES: Mount a 3/4" thick board to the wall using 3/16" toggle bolts - height and width of the board is dependent on extinguisher size. The board should extend a minimum of two inches beyond all sides of the extinguisher profile (excluding hose and horn). Mount wall hanger bracket to board using two #10 x 1" long wood screws as above. Cinderblock or Cement - ALL SIZES: Mount wall hanger bracket using one 3/4" toggle bolt or masonry lead screw expansion anchor through center hole in the bracket. Mount vehicle/marine strap type brackets using two 3/16" toggle bolts or #10 lead screw expansion anchors. Concrete or Tile Wall - ALL SIZES - Mount wall hanger bracket using one 1/2" masonry lead screw expansion anchor through center hole in wall bracket. Mount vehicle/marine strap type brackets using two No. 10 masonry lead screw expansion anchors. Steel Posts or Beams - ALL SIZES: Special tools and fasteners are required - Have extinguisher mounted by a professional fire extinguisher service company. Tile Walls: Locate in joint.

**INSPECTION RECORD**

Model No: \_\_\_\_\_  
Serial No: \_\_\_\_\_  
Mfg. Date: \_\_\_\_\_  
Date Installed New: \_\_\_\_\_

INSPECTION should be performed monthly or more frequently if circumstances dictate. The extinguisher should be checked to see that it is not damaged, the discharge outlet is not blocked, that it is fully charged, the seal is not broken and that the operating instructions are clearly visible.

ANNUAL MAINTENANCE is a more complete inspection of the extinguisher and should be done professionally. It will reveal the need for hydrotesting which must be done on Water Mist, Water, Wet Chemical, Foam and Carbon Dioxide every FIVE YEARS and Dry Chemical, Dry Powder, Halotron I and Halon 1211 extinguishers every TWELVE YEARS. Most local authorities require special tags be attached to the extinguisher to verify this service.

SIX YEAR MAINTENANCE - Every six years extinguishers requiring a 12 year hydrotest shall be emptied and subject to thorough examination of mechanical parts, extinguishing agent and expelling means. When applicable maintenance procedures are done during periodic recharging or hydrotesting, the six year requirement will begin from that date.

RECHARGE should be done professionally immediately after any use by your local Amerex Distributor who has the trained personnel, extinguishing agents and equipment to do it properly. This extinguisher must be recharged with the extinguishing agent specified on the nameplate. Substitutions could cause damage or injury and will void the warranty.

DISTRIBUTED BY:

**INSTALLATION & DISTRIBUTION**

Install, inspect, maintain and test your fire extinguisher in accordance with the National Fire Protection Assoc. Standard 10 "Portable Fire Extinguishers". Your fire extinguisher should be mounted in a clean dry area, accessible to possible fire hazards and preferably near an exit. Mount it so that the top is from 3 1/2 to 5 feet above the floor and out of the reach of small children.

Use the mounting bracket furnished with the extinguisher or an approved Amerex vehicle bracket if required. Fasten to a solid surface using strong screws or fasteners (not included).

**INSPECTION**

Your extinguisher should be inspected monthly, checking for any possible damage, corrosion, leakage or obstructions in the discharge outlet. The tamper seal should be unbroken. The extinguisher should be cleaned so that the instructions on the label are always clearly visible. Carbon Dioxide extinguishers should be weighed and the weight verified to be within the tolerances specified on the nameplate (label). Water Mist, Water, Wet Chemical, Foam, Dry Chemical, Dry Powder, Halotron I and Halon 1211 extinguisher pressure gauges should be checked. The indicator will vary slightly due to temperature, but should always be in the GREEN area if it is fully pressurized. Heft or weigh the extinguisher to determine fullness.

**IN CASE OF FIRE**

1. Have everyone evacuate the area immediately.
2. Call the Fire Department even if the fire appears to be small (small fires quickly become LARGE fires). The Fire Dept. phone number should be posted at every home.
3. Use your extinguisher properly, according to the instructions on the nameplate and in this manual. A large fire should be fought by professionals. Be prepared to leave the area if the fire cannot be immediately controlled.